ELSEVIER

Chemical Physics 240 (1999) 423–426

Chemical Physics

Author index to volume 240

Albrecht, A.C., see Ulness, D.J. 240 (1999) 109
Alvira, E., J.I. García and J.A. Mayoral, Molecular modelling study for chiral separation of equol enantiomers by β-cyclodextrin 240 (1999) 101
Avaldi, L., see Feng, R. 240 (1999) 371

Barvík, I., C. Warns, T. Neidlinger and P. Reineker, Simulation of excitonic optical line shapes of cyclic molecular aggregates with 9 and 18 units: influence of quasi-static and dynamic disorder 240 (1999) 173
Bastida, A., J. Zuñiga, A. Requena, N. Halberstadt and J.A. Beswick, Competition between electronic and vibrational predissociation in Ar–$I_2(B)$: a molecular dynamics with quantum transitions study 240 (1999) 229
Belić, D.S., see Poparić, G. 240 (1999) 283
Belinsky, M.I., High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster 240 (1999) 303
Beswick, J.A., see Bastida, A. 240 (1999) 229
Beust, R., N. Tyutyulkov, M. Rabinovitz and F. Dietz, Radical-substituted allenes as high-spin species and subunits of organic ferromagnets 240 (1999) 141
Billard, I., see Bouby, M. 240 (1999) 353
Bonnenfant, A., see Bouby, M. 240 (1999) 353
Borrás-Almenar, J.J., E. Coronado, S.M. Ostrovsky, A.V. Palii and B.S. Tsukerblat, Localisation vs. delocalisation in the dimeric mixed-valence clusters in the generalised vibronic model. Magnetic manifestations 240 (1999) 149
Borsenberger, P.M., see Visser, S.A. 240 (1999) 197
Bouby, M., I. Billard, A. Bonnenfant and G. Klein, Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature? 240 (1999) 353
Brion, C.E., see Feng, R. 240 (1999) 371
Burton, G.R., see Feng, R. 240 (1999) 371

Capobianco, J.A., see Misra, S.K. 240 (1999) 313
Cascales, C., R. Sáez Puche and P. Porcher, Paramagnetic susceptibility simulations from crystal field effects on Nd^{3+} in magnesium borate $MgNd(BO_2)_5$ 240 (1999) 291
Cavalli, E., see Misra, S.K. 240 (1999) 313
Chakraborty, D.K., see Polavarapu, P.L. 240 (1999) 1
Chen, S.P., see Tsai, C.Y. 240 (1999) 191
Colominas, C., F.J. Luque, J. Teixidó and M. Orozco, Cavitation contribution to the free energy of solvation. Comparison of different formalisms in the context of MST calculations 240 (1999) 253
Cooper, G., see Feng, R. 240 (1999) 371
Coronado, E., see Borrás-Almenar, J.J. 240 (1999) 149

PII: S0301-0104(98)00421-2

Cundari, T.R., H.A. Kurtz and T. Zhou, Modeling nonlinear optical properties of inorganic complexes. Counterion effects 240 (1999) 205

Dietz, F., see Beust, R. 240 (1999) 141
Domcke, W., see Sudholt, W. 240 (1999) 9

Feng, R., G. Cooper, G.R. Burton, C.E. Brion and L. Avaldi, Absolute photoabsorption oscillator strengths by electron energy loss methods: the valence and S 2p and 2s inner shells of sulphur dioxide in the discrete and continuum regions (3.5–260 eV) 240 (1999) 371
Flament, J.P., see Tadjeddine, M. 240 (1999) 39

García, J.I., see Alvira, E. 240 (1999) 101
Gelin, M.F., A Keilson–Storer type collision kernel for rotation–translation coupling 240 (1999) 265
Gorecka, J.N., see Gorecki, J. 240 (1999) 215
Gorecki, J. and J.N. Gorecka, On the nonequilibrium effects in thermally activated reactions $A + A \rightleftharpoons B + B \rightleftharpoons C + C$ 240 (1999) 215
Gruenbaum, W.T., see Visser, S.A. 240 (1999) 197

Halberstadt, N., see Bastida, A. 240 (1999) 229
Hartung, S., see Kück, S. 240 (1999) 387
Herman, M.F., see Velev, P. 240 (1999) 241

Isber, S., see Misra, S.K. 240 (1999) 313

Jalkanen, K.J., see Knapp-Mohammady, M. 240 (1999) 63

Kirkwood, J.C., see Ulness, D.J. 240 (1999) 109
Klein, G., see Bouby, M. 240 (1999) 353
Knapp-Mohammady, M., K.J. Jalkanen, F. Nardi, R.C. Wade and S. Suhai, L-Alanyl-L-alanine in the zwitterionic state: structures determined in the presence of explicit water molecules and with continuum models using density functional theory 240 (1999) 63
Krause, J.L., see Skodje, R.T. 240 (1999) 129
Kück, S. and S. Hartung, Comparative study of the spectroscopic properties of Cr^{4+}-doped $LiAlO_2$ and $LiGaO_2$ 240 (1999) 387
Kühn, O., see Naundorf, H. 240 (1999) 163
Kuntz, P.J., Diatomics-in-molecules applied to solid hydrogen doped with $O(^1D_g)$ 240 (1999) 19
Kurtz, H.A., see Cundari, T.R. 240 (1999) 205

Li, G.-S., M.T.C. Martins Costa, C. Millot and M.F. Ruiz-López, Effect of solvent fluctuations on proton transfer dynamics: a hybrid AM1/MM molecular dynamics simulation on the $[H_3N{-}H{-}NH_3]^+$ system 240 (1999) 93
Luque, F.J., see Colominas, C. 240 (1999) 253

Magin, E.H., see Visser, S.A. 240 (1999) 197
Martins Costa, M.T.C., see Li, G.-S. 240 (1999) 93
Matsui, A.H., see Takeshima, M. 240 (1999) 413
Mayoral, J.A., see Alvira, E. 240 (1999) 101
Millot, C., see Li, G.-S. 240 (1999) 93
Mishra, P.C., see Shukla, M.K. 240 (1999) 319

Misra, S.K., S. Isber, J.A. Capobianco and E. Cavalli, Electron paramagnetic resonance of Er^{3+} doped in YVO_4: hyperfine parameters 240 (1999) 313

Nardi, F., see Knapp-Mohammady, M. 240 (1999) 63
Naumkin, F.Y., DIM models for RgX_2^- systems: suppressed influence of spin-orbit coupling and induced multipole effects for the $Ar–I_2^-$ interaction 240 (1999) 79
Naundorf, H., K. Sundermann and O. Kühn, Laser driven hydrogen tunneling in a dissipative environment 240 (1999) 163
Neidlinger, T., see Barvík, I. 240 (1999) 173
Neumann, R., see Zuhrt, C. 240 (1999) 117

Orozco, M., see Colominas, C. 240 (1999) 253
Orzechowski, K., Electric field effect on the upper critical solution temperature 240 (1999) 275
Ostrovsky, S.M., see Borrás-Almenar, J.J. 240 (1999) 149

Palii, A.V., see Borrás-Almenar, J.J. 240 (1999) 149
Parusel, A.B.J., see Welland, A.D. 240 (1999) 403
Polavarapu, P.L. and D.K. Chakraborty, Ab initio theoretical optical rotations of small molecules 240 (1999) 1
Polster, J., Contributions to the spectroscopic–kinetic analysis of linear reaction systems. Systems with three linearly independent reactions using the concept of parallel projection 240 (1999) 331
Poparić, G., M. Vićić and D.S. Belić, Vibrational excitation of the $C^3\Pi_u$ state of N_2 by electron impact 240 (1999) 283
Porcher, P., see Cascales, C. 240 (1999) 291

Rabinovitz, M., see Beust, R. 240 (1999) 141
Reineker, P., see Barvík, I. 240 (1999) 173
Requena, A., see Bastida, A. 240 (1999) 229
Ruiz-López, M.F., see Li, G.-S. 240 (1999) 93

Sadeghi, R., see Skodje, R.T. 240 (1999) 129
Sáez Puche, R., see Cascales, C. 240 (1999) 291
Schneider, F.W., see Welland, A.D. 240 (1999) 403
Shukla, M.K. and P.C. Mishra, A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil 240 (1999) 319
Skodje, R.T., R. Sadeghi and J.L. Krause, Control of transition state spectra: a variational algorithm 240 (1999) 129
Sobolewski, A.L., see Sudholt, W. 240 (1999) 9
Spanget-Larsen, J., Infrared absorption and Raman scattering of (*Z*)-3-hydroxypropenal. A density functional theoretical study 240 (1999) 51
Sudholt, W., A.L. Sobolewski and W. Domcke, Ab initio study of the amino group twisting and wagging reaction paths in the intramolecular charge transfer of 4-(N,N-dimethylamino)benzonitrile 240 (1999) 9
Suhai, S., see Knapp-Mohammady, M. 240 (1999) 63
Sundermann, K., see Naundorf, H. 240 (1999) 163

Tadjeddine, M. and J.P. Flament, Analysis of a nonlinear optical response of CN^- ions adsorbed on metal electrode: tentative interpretation by means of ab initio molecular calculations 240 (1999) 39

Takeshima, M. and A.H. Matsui, Frenkel exciton scattering at microcrystallite surfaces caused by electric dipoles and monopoles 240 (1999) 413
Teixidó, J., see Colominas, C. 240 (1999) 253
Tsai, C.Y., S.P. Chen and T.C. Wen, Nonlinear absorption and refraction in porphyrazine derivatives 240 (1999) 191
Tsukerblat, B.S., see Borrás-Almenar, J.J. 240 (1999) 149
Tyutyulkov, N., see Beust, R. 240 (1999) 141

Ulness, D.J., J.C. Kirkwood and A.C. Albrecht, On librational broadening of vibrational transitions in liquids: a simple model 240 (1999) 109

Velev, P. and M.F. Herman, A semiclassical surface-hopping procedure for vibrational relaxation in polyatomic molecules: model calculations 240 (1999) 241
Vićić, M., see Poparić, G. 240 (1999) 283
Visser, S.A., W.T. Gruenbaum, E.H. Magin and P.M. Borsenberger, Hole transport in arylamine doped polymers 240 (1999) 197

Wade, R.C., see Knapp-Mohammady, M. 240 (1999) 63
Warns, C., see Barvík, I. 240 (1999) 173
Welland, A.D., F.W. Schneider and A.B.J. Parusel, Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations 240 (1999) 403
Wen, T.C., see Tsai, C.Y. 240 (1999) 191

Zhou, T., see Cundari, T.R. 240 (1999) 205
Zuhrt, C., R. Neumann and L. Zülicke, Investigation of vibrational states of the $ArHCl^+$ cation in the electronic ground state 240 (1999) 117
Zülicke, L., see Zuhrt, C. 240 (1999) 117
Zuñiga, J., see Bastida, A. 240 (1999) 229

ELSEVIER

Chemical Physics 240 (1999) 427–437

Chemical Physics

Subject index to volume 240

Methods and constructs

Theoretical

Computational methods for electronic structure

Ab initio theoretical optical rotations of small molecules, P.L. Polavarapu and D.K. Chakraborty 240 (1999) 1

Ab initio study of the amino group twisting and wagging reaction paths in the intramolecular charge transfer of 4-(N,N-dimethylamino)benzonitrile, W. Sudholt, A.L. Sobolewski and W. Domcke 240 (1999) 9

Diatomics-in-molecules applied to solid hydrogen doped with $O(^1D_g)$, P.J. Kuntz 240 (1999) 19

Electron paramagnetic resonance of Er^{3+} doped in YVO_4: hyperfine parameters, S.K. Misra, S. Isber, J.A. Capobianco and E. Cavalli 240 (1999) 313

-CI and valence bond approach

Analysis of a nonlinear optical response of CN^- ions adsorbed on metal electrode: tentative interpretation by means of ab initio molecular calculations, M. Tadjeddine and J.P. Flament 240 (1999) 39

A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil, M.K. Shukla and P.C. Mishra 240 (1999) 319

Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations, A.D. Welland, F.W. Schneider and A.B.J. Parusel 240 (1999) 403

-density functional theory

Analysis of a nonlinear optical response of CN^- ions adsorbed on metal electrode: tentative interpretation by means of ab initio molecular calculations, M. Tadjeddine and J.P. Flament 240 (1999) 39

Infrared absorption and Raman scattering of (*Z*)-3-hydroxypropenal. A density functional theoretical study, J. Spanget-Larsen 240 (1999) 51

L-Alanyl-L-alanine in the zwitterionic state: structures determined in the presence of explicit water molecules and with continuum models using density functional theory, M. Knapp-Mohammady, K.J. Jalkanen, F. Nardi, R.C. Wade and S. Suhai 240 (1999) 63

Semiempirical methods

Diatomics-in-molecules applied to solid hydrogen doped with $O(^1D_g)$, P.J. Kuntz 240 (1999) 19

DIM models for RgX_2^- systems: suppressed influence of spin-orbit coupling and induced multipole effects for the $Ar–I_2^-$ interaction, F.Y. Naumkin 240 (1999) 79

PII: S0301-0104(98)00422-4

Effect of solvent fluctuations on proton transfer dynamics: a hybrid AM1/MM molecular dynamics simulation on the $[H_3N–H–NH_3]^+$ system, G.-S. Li, M.T.C. Martins Costa, C. Millot and M.F. Ruiz-López 240 (1999) 93
Molecular modelling study for chiral separation of equol enantiomers by β-cyclodextrin, E. Alvira, J.I. García and J.A. Mayoral 240 (1999) 101
Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations, A.D. Welland, F.W. Schneider and A.B.J. Parusel 240 (1999) 403

Relativistic electronic structure theory
DIM models for RgX_2^- systems: suppressed influence of spin-orbit coupling and induced multipole effects for the $Ar–I_2^-$ interaction, F.Y. Naumkin 240 (1999) 79

Wavefunctions for highly excited and unbound states
On librational broadening of vibrational transitions in liquids: a simple model, D.J. Ulness, J.C. Kirkwood and A.C. Albrecht 240 (1999) 109
Investigation of vibrational states of the $ArHCl^+$ cation in the electronic ground state, C. Zuhrt, R. Neumann and L. Zülicke 240 (1999) 117
Control of transition state spectra: a variational algorithm, R.T. Skodje, R. Sadeghi and J.L. Krause 240 (1999) 129

Spin states and magnetic interactions
Radical-substituted allenes as high-spin species and subunits of organic ferromagnets, R. Beust, N. Tyutyulkov, M. Rabinovitz and F. Dietz 240 (1999) 141
Localisation vs. delocalisation in the dimeric mixed-valence clusters in the generalised vibronic model. Magnetic manifestations, J.J. Borrás-Almenar, E. Coronado, S.M. Ostrovsky, A.V. Palii and B.S. Tsukerblat 240 (1999) 149

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)
Analysis of a nonlinear optical response of CN^- ions adsorbed on metal electrode: tentative interpretation by means of ab initio molecular calculations, M. Tadjeddine and J.P. Flament 240 (1999) 39
Infrared absorption and Raman scattering of (*Z*)-3-hydroxypropenal. A density functional theoretical study, J. Spanget-Larsen 240 (1999) 51
Laser driven hydrogen tunneling in a dissipative environment, H. Naundorf, K. Sundermann and O. Kühn 240 (1999) 163
Simulation of excitonic optical line shapes of cyclic molecular aggregates with 9 and 18 units: influence of quasi-static and dynamic disorder, I. Barvík, C. Warns, T. Neidlinger and P. Reineker 240 (1999) 173
Nonlinear absorption and refraction in porphyrazine derivatives, C.Y. Tsai, S.P. Chen and T.C. Wen 240 (1999) 191
Hole transport in arylamine doped polymers, S.A. Visser, W.T. Gruenbaum, E.H. Magin and P.M. Borsenberger 240 (1999) 197
Modeling nonlinear optical properties of inorganic complexes. Counterion effects, T.R. Cundari, H.A. Kurtz and T. Zhou 240 (1999) 205

Scattering of waves and particles
Control of transition state spectra: a variational algorithm, R.T. Skodje, R. Sadeghi and J.L. Krause 240 (1999) 129

Frenkel exciton scattering at microcrystallite surfaces caused by electric dipoles and monopoles, M. Takeshima and A.H. Matsui 240 (1999) 413

Reactive molecular dynamics including dissipative processes

Laser driven hydrogen tunneling in a dissipative environment, H. Naundorf, K. Sundermann and O. Kühn 240 (1999) 163

Contributions to the spectroscopic–kinetic analysis of linear reaction systems. Systems with three linearly independent reactions using the concept of parallel projection, J. Polster 240 (1999) 331

Intramolecular dynamics

On librational broadening of vibrational transitions in liquids: a simple model, D.J. Ulness, J.C. Kirkwood and A.C. Albrecht 240 (1999) 109

Molecular dynamics of many particle systems and condensed phases

Effect of solvent fluctuations on proton transfer dynamics: a hybrid AM1/MM molecular dynamics simulation on the $[H_3N–H–NH_3]^+$ system, G.-S. Li, M.T.C. Martins Costa, C. Millot and M.F. Ruiz-López 240 (1999) 93

On the nonequilibrium effects in thermally activated reactions $A + A \rightleftharpoons B + B \rightleftharpoons C + C$, J. Gorecki and J.N. Gorecka 240 (1999) 215

Competition between electronic and vibrational predissociation in $Ar–I_2(B)$: a molecular dynamics with quantum transitions study, A. Bastida, J. Zuñiga, A. Requena, N. Halberstadt and J.A. Beswick 240 (1999) 229

A semiclassical surface-hopping procedure for vibrational relaxation in polyatomic molecules: model calculations, P. Velev and M.F. Herman 240 (1999) 241

Quasiparticle dynamics (incl. excitons, polarons)

Simulation of excitonic optical line shapes of cyclic molecular aggregates with 9 and 18 units: influence of quasi-static and dynamic disorder, I. Barvík, C. Warns, T. Neidlinger and P. Reineker 240 (1999) 173

Non-equilibrium statistical mechanics

Effect of solvent fluctuations on proton transfer dynamics: a hybrid AM1/MM molecular dynamics simulation on the $[H_3N–H–NH_3]^+$ system, G.-S. Li, M.T.C. Martins Costa, C. Millot and M.F. Ruiz-López 240 (1999) 93

Non-equilibrium thermodynamic and hydrodynamic theories

On the nonequilibrium effects in thermally activated reactions $A + A \rightleftharpoons B + B \rightleftharpoons C + C$, J. Gorecki and J.N. Gorecka 240 (1999) 215

Extremum methods for ensembles (energy, entropy, free energy)

Cavitation contribution to the free energy of solvation. Comparison of different formalisms in the context of MST calculations, C. Colominas, F.J. Luque, J. Teixidó and M. Orozco 240 (1999) 253

Time and space correlation functions

A Keilson–Storer type collision kernel for rotation–translation coupling, M.F. Gelin 240 (1999) 265

Experiment

Magnetic resonances

Electron paramagnetic resonance of Er^{3+} doped in YVO_4: hyperfine parameters, S.K. Misra, S. Isber, J.A. Capobianco and E. Cavalli 240 (1999) 313

Molecular spectroscopy
Infrared absorption and Raman scattering of (Z)-3-hydroxypropenal. A density functional theoretical study, J. Spanget-Larsen 240 (1999) 51
A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil, M.K. Shukla and P.C. Mishra 240 (1999) 319
Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature?, M. Bouby, I. Billard, A. Bonnenfant and G. Klein 240 (1999) 353

-microwave
Electric field effect on the upper critical solution temperature, K. Orzechowski 240 (1999) 275

-UV
A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil, M.K. Shukla and P.C. Mishra 240 (1999) 319
Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations, A.D. Welland, F.W. Schneider and A.B.J. Parusel 240 (1999) 403

-visible
Ab initio theoretical optical rotations of small molecules, P.L. Polavarapu and D.K. Chakraborty 240 (1999) 1
Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations, A.D. Welland, F.W. Schneider and A.B.J. Parusel 240 (1999) 403

Photon counting and phase fluorimetry
Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations, A.D. Welland, F.W. Schneider and A.B.J. Parusel 240 (1999) 403

Electron impact spectroscopy
Vibrational excitation of the $C^3\Pi_u$ state of N_2 by electron impact, G. Poparić, M. Vićić and D.S. Belić 240 (1999) 283
Absolute photoabsorption oscillator strengths by electron energy loss methods: the valence and S 2p and 2s inner shells of sulphur dioxide in the discrete and continuum regions (3.5–260 eV), R. Feng, G. Cooper, G.R. Burton, C.E. Brion and L. Avaldi 240 (1999) 371

Laser induced fluorescence
Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature?, M. Bouby, I. Billard, A. Bonnenfant and G. Klein 240 (1999) 353
Comparative study of the spectroscopic properties of Cr^{4+}-doped $LiAlO_2$ and $LiGaO_2$, S. Kück and S. Hartung 240 (1999) 387

Nonlinear optics and spectroscopy
Nonlinear absorption and refraction in porphyrazine derivatives, C.Y. Tsai, S.P. Chen and T.C. Wen 240 (1999) 191
Paramagnetic susceptibility simulations from crystal field effects on Nd^{3+} in magnesium borate $MgNd(BO_2)_5$, C. Cascales, R. Sáez Puche and P. Porcher 240 (1999) 291

X-ray, electron and neutron diffraction
Paramagnetic susceptibility simulations from crystal field effects on Nd^{3+} in magnesium borate $MgNd(BO_2)_5$, C. Cascales, R. Sáez Puche and P. Porcher 240 (1999) 291

Objects

Bulk systems

Gases
On the nonequilibrium effects in thermally activated reactions $A + A \rightleftharpoons B + B \rightleftharpoons C + C$, J. Gorecki and J.N. Gorecka 240 (1999) 215
A Keilson–Storer type collision kernel for rotation–translation coupling, M.F. Gelin 240 (1999) 265
Vibrational excitation of the $C^3\Pi_u$ state of N_2 by electron impact, G. Poparić, M. Vićić and D.S. Belić 240 (1999) 283

Supersonic beams
Competition between electronic and vibrational predissociation in $Ar–I_2(B)$: a molecular dynamics with quantum transitions study, A. Bastida, J. Zuñiga, A. Requena, N. Halberstadt and J.A. Beswick 240 (1999) 229

Liquids neat
Ab initio theoretical optical rotations of small molecules, P.L. Polavarapu and D.K. Chakraborty 240 (1999) 1
On the nonequilibrium effects in thermally activated reactions $A + A \rightleftharpoons B + B \rightleftharpoons C + C$, J. Gorecki and J.N. Gorecka 240 (1999) 215

Liquid mixtures and solutions
Laser driven hydrogen tunneling in a dissipative environment, H. Naundorf, K. Sundermann and O. Kühn 240 (1999) 163
Cavitation contribution to the free energy of solvation. Comparison of different formalisms in the context of MST calculations, C. Colominas, F.J. Luque, J. Teixidó and M. Orozco 240 (1999) 253
A Keilson–Storer type collision kernel for rotation–translation coupling, M.F. Gelin 240 (1999) 265
Electric field effect on the upper critical solution temperature, K. Orzechowski 240 (1999) 275
Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature?, M. Pouby, I. Billard, A. Bonnenfant and G. Klein 240 (1999) 353

Crystals
Electron paramagnetic resonance of Er^{3+} doped in YVO_4: hyperfine parameters, S.K. Misra, S. Isber, J.A. Capobianco and E. Cavalli 240 (1999) 313
Comparative study of the spectroscopic properties of Cr^{4+}-doped $LiAlO_2$ and $LiGaO_2$, S. Kück and S. Hartung 240 (1999) 387

Polymers
Hole transport in arylamine doped polymers, S.A. Visser, W.T. Gruenbaum, E.H. Magin and P.M. Borsenberger 240 (1999) 197

Low-dimensional materials
Nonlinear absorption and refraction in porphyrazine derivatives, C.Y. Tsai, S.P. Chen and T.C. Wen 240 (1999) 191

Biological systems
L-Alanyl-L-alanine in the zwitterionic state: structures determined in the presence of explicit water molecules and with continuum models using density functional theory, M. Knapp-Mohammady, K.J. Jalkanen, F. Nardi, R.C. Wade and S. Suhai 240 (1999) 63

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
Radical-substituted allenes as high-spin species and subunits of organic ferromagnets, R. Beust, N. Tyutyulkov, M. Rabinovitz and F. Dietz 240 (1999) 141
A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil, M.K. Shukla and P.C. Mishra 240 (1999) 319

Molecules (neutral and ionic)
Cavitation contribution to the free energy of solvation. Comparison of different formalisms in the context of MST calculations, C. Colominas, F.J. Luque, J. Teixidó and M. Orozco 240 (1999) 253
A Keilson–Storer type collision kernel for rotation–translation coupling, M.F. Gelin 240 (1999) 265
Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature?, M. Bouby, I. Billard, A. Bonnenfant and G. Klein 240 (1999) 353

-diatomic
Vibrational excitation of the $C^3\Pi_u$ state of N_2 by electron impact, G. Poparić, M. Vićić and D.S. Belić 240 (1999) 283

-small polyatomics
Analysis of a nonlinear optical response of CN^- ions adsorbed on metal electrode: tentative interpretation by means of ab initio molecular calculations, M. Tadjeddine and J.P. Flament 240 (1999) 39
On librational broadening of vibrational transitions in liquids: a simple model, D.J. Ulness, J.C. Kirkwood and A.C. Albrecht 240 (1999) 109
A semiclassical surface-hopping procedure for vibrational relaxation in polyatomic molecules: model calculations, P. Velev and M.F. Herman 240 (1999) 241
Absolute photoabsorption oscillator strengths by electron energy loss methods: the valence and S 2p and 2s inner shells of sulphur dioxide in the discrete and continuum regions (3.5–260 eV), R. Feng, G. Cooper, G.R. Burton, C.E. Brion and L. Avaldi 240 (1999) 371

-aromatics
Ab initio study of the amino group twisting and wagging reaction paths in the intramolecular charge transfer of 4-(N,N-dimethylamino)benzonitrile, W. Sudholt, A.L. Sobolewski and W. Domcke 240 (1999) 9

-polymeric and biological
Molecular modelling study for chiral separation of equol enantiomers by β-cyclodextrin, E. Alvira, J.I. García and J.A. Mayoral 240 (1999) 101
Simulation of excitonic optical line shapes of cyclic molecular aggregates with 9 and 18 units: influence of quasi-static and dynamic disorder, I. Barvík, C. Warns, T. Neidlinger and P. Reineker 240 (1999) 173

Molecular aggregates

-dimers
Localisation vs. delocalisation in the dimeric mixed-valence clusters in the generalised vibronic model. Magnetic manifestations, J.J. Borrás-Almenar, E. Coronado, S.M. Ostrovsky, A.V. Palii and B.S. Tsukerblat 240 (1999) 149

-van der Waals molecules
Competition between electronic and vibrational predissociation in Ar–$I_2(B)$: a molecular dynamics with quantum transitions study, A. Bastida, J. Zuñiga, A. Requena, N. Halberstadt and J.A. Beswick 240 (1999) 229

-clusters
L-Alanyl-L-alanine in the zwitterionic state: structures determined in the presence of explicit water molecules and with continuum models using density functional theory, M. Knapp-Mohammady, K.J. Jalkanen, F. Nardi, R.C. Wade and S. Suhai 240 (1999) 63
High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster, M.I. Belinsky 240 (1999) 303

-complexes
DIM models for RgX_2^- systems: suppressed influence of spin-orbit coupling and induced multipole effects for the Ar–I_2^- interaction, F.Y. Naumkin 240 (1999) 79
Molecular modelling study for chiral separation of equol enantiomers by β-cyclodextrin, E. Alvira, J.I. García and J.A. Mayoral 240 (1999) 101
Nonlinear absorption and refraction in porphyrazine derivatives, C.Y. Tsai, S.P. Chen and T.C. Wen 240 (1999) 191
Modeling nonlinear optical properties of inorganic complexes. Counterion effects, T.R. Cundari, H.A. Kurtz and T. Zhou 240 (1999) 205

Quasiparticles (incl. excitons)
Frenkel exciton scattering at microcrystallite surfaces caused by electric dipoles and monopoles, M. Takeshima and A.H. Matsui 240 (1999) 413

Defects and impurities
Diatomics-in-molecules applied to solid hydrogen doped with $O(^1D_g)$, P.J. Kuntz 240 (1999) 19

Ions and charge carriers
Investigation of vibrational states of the $ArHCl^+$ cation in the electronic ground state, C. Zuhrt, R. Neumann and L. Zülicke 240 (1999) 117
Hole transport in arylamine doped polymers, S.A. Visser, W.T. Gruenbaum, E.H. Magin and P.M. Borsenberger 240 (1999) 197

Supramolecular assemblies (incl. nanoparticles and nanostructures)
Simulation of excitonic optical line shapes of cyclic molecular aggregates with 9 and 18 units: influence of quasi-static and dynamic disorder, I. Barvík, C. Warns, T. Neidlinger and P. Reineker 240 (1999) 173

Biological assemblies, cells and organelles
High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster, M.I. Belinsky 240 (1999) 303

Proteins
High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster, M.I. Belinsky 240 (1999) 303

Phenomena

Molecular structure
Infrared absorption and Raman scattering of (*Z*)-3-hydroxypropenal. A density functional theoretical study, J. Spanget-Larsen 240 (1999) 51
Molecular modelling study for chiral separation of equol enantiomers by β-cyclodextrin, E. Alvira, J.I. García and J.A. Mayoral 240 (1999) 101
A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil, M.K. Shukla and P.C. Mishra 240 (1999) 319

Vibrations and rotations of molecules
Analysis of a nonlinear optical response of CN^- ions adsorbed on metal electrode: tentative interpretation by means of ab initio molecular calculations, M. Tadjeddine and J.P. Flament 240 (1999) 39
Infrared absorption and Raman scattering of (*Z*)-3-hydroxypropenal. A density functional theoretical study, J. Spanget-Larsen 240 (1999) 51
On librational broadening of vibrational transitions in liquids: a simple model, D.J. Ulness, J.C. Kirkwood and A.C. Albrecht 240 (1999) 109
Investigation of vibrational states of the $ArHCl^+$ cation in the electronic ground state, C. Zuhrt, R. Neumann and L. Zülicke 240 (1999) 117
Localisation vs. delocalisation in the dimeric mixed-valence clusters in the generalised vibronic model. Magnetic manifestations, J.J. Borrás-Almenar, E. Coronado, S.M. Ostrovsky, A.V. Palii and B.S. Tsukerblat 240 (1999) 149

Electronic structure and states
Ab initio study of the amino group twisting and wagging reaction paths in the intramolecular charge transfer of 4-(N,N-dimethylamino)benzonitrile, W. Sudholt, A.L. Sobolewski and W. Domcke 240 (1999) 9
Diatomics-in-molecules applied to solid hydrogen doped with $O(^1D_g)$, P.J. Kuntz 240 (1999) 19
DIM models for RgX_2^- systems: suppressed influence of spin-orbit coupling and induced multipole effects for the $Ar–I_2^-$ interaction, F.Y. Naumkin 240 (1999) 79
Vibrational excitation of the $C^3\Pi_u$ state of N_2 by electron impact, G. Poparić, M. Vićić and D.S. Belić 240 (1999) 283
High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster, M.I. Belinsky 240 (1999) 303
Electron paramagnetic resonance of Er^{3+} doped in YVO_4: hyperfine parameters, S.K. Misra, S. Isber, J.A. Capobianco and E. Cavalli 240 (1999) 313
A gas phase ab initio excited state geometry optimization study of thymine, cytosine and uracil, M.K. Shukla and P.C. Mishra 240 (1999) 319
Absolute photoabsorption oscillator strengths by electron energy loss methods: the valence and S 2p and 2s inner shells of sulphur dioxide in the discrete and continuum regions (3.5–260 eV), R. Feng, G. Cooper, G.R. Burton, C.E. Brion and L. Avaldi 240 (1999) 371
Comparative study of the spectroscopic properties of Cr^{4+}-doped $LiAlO_2$ and $LiGaO_2$, S. Kück and S. Hartung 240 (1999) 387

Dual fluorescence of the isoquinolinium cation in methanol: time-resolved emission spectra and semiempirical calculations, A.D. Welland, F.W. Schneider and A.B.J. Parusel 240 (1999) 403

Electric and magnetic properties

Radical-substituted allenes as high-spin species and subunits of organic ferromagnets, R. Beust, N. Tyutyulkov, M. Rabinovitz and F. Dietz 240 (1999) 141

Paramagnetic susceptibility simulations from crystal field effects on Nd^{3+} in magnesium borate $MgNd(BO_2)_5$, C. Cascales, R. Sáez Puche and P. Porcher 240 (1999) 291

Spin splittings

High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster, M.I. Belinsky 240 (1999) 303

Optical activity

Ab initio theoretical optical rotations of small molecules, P.L. Polavarapu and D.K. Chakraborty 240 (1999) 1

Molecular interactions

L-Alanyl-L-alanine in the zwitterionic state: structures determined in the presence of explicit water molecules and with continuum models using density functional theory, M. Knapp-Mohammady, K.J. Jalkanen, F. Nardi, R.C. Wade and S. Suhai 240 (1999) 63

DIM models for RgX_2^- systems: suppressed influence of spin-orbit coupling and induced multipole effects for the $Ar–I_2^-$ interaction, F.Y. Naumkin 240 (1999) 79

Molecular modelling study for chiral separation of equol enantiomers by β-cyclodextrin, E. Alvira, J.I. García and J.A. Mayoral 240 (1999) 101

Spectral bandshapes and intensities

On librational broadening of vibrational transitions in liquids: a simple model, D.J. Ulness, J.C. Kirkwood and A.C. Albrecht 240 (1999) 109

Control of transition state spectra: a variational algorithm, R.T. Skodje, R. Sadeghi and J.L. Krause 240 (1999) 129

Absolute photoabsorption oscillator strengths by electron energy loss methods: the valence and S 2p and 2s inner shells of sulphur dioxide in the discrete and continuum regions (3.5–260 eV), R. Feng, G. Cooper, G.R. Burton, C.E. Brion and L. Avaldi 240 (1999) 371

Energy transfer processes

Simulation of excitonic optical line shapes of cyclic molecular aggregates with 9 and 18 units: influence of quasi-static and dynamic disorder, I. Barvík, C. Warns, T. Neidlinger and P. Reineker 240 (1999) 173

Hole transport in arylamine doped polymers, S.A. Visser, W.T. Gruenbaum, E.H. Magin and P.M. Borsenberger 240 (1999) 197

Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature?, M. Bouby, I. Billard, A. Bonnenfant and G. Klein 240 (1999) 353

Molecular photophysical processes

Ab initio study of the amino group twisting and wagging reaction paths in the intramolecular charge transfer of 4-(N,N-dimethylamino)benzonitrile, W. Sudholt, A.L. Sobolewski and W. Domcke 240 (1999) 9

Intramolecular dynamics

-vibrational energy redistribution (incl. vibrational dissociation)

Competition between electronic and vibrational predissociation in Ar–$I_2(B)$: a molecular dynamics with quantum transitions study, A. Bastida, J. Zuñiga, A. Requena, N. Halberstadt and J.A. Beswick 240 (1999) 229

A semiclassical surface-hopping procedure for vibrational relaxation in polyatomic molecules: model calculations, P. Velev and M.F. Herman 240 (1999) 241

Luminescence spectra, yields and lifetimes

Paramagnetic susceptibility simulations from crystal field effects on Nd^{3+} in magnesium borate $MgNd(BO_2)_5$, C. Cascales, R. Sáez Puche and P. Porcher 240 (1999) 291

Are the changes in the lifetime of the excited uranyl ion of chemical or physical nature?, M. Bouby, I. Billard, A. Bonnenfant and G. Klein 240 (1999) 353

Comparative study of the spectroscopic properties of Cr^{4+}-doped $LiAlO_2$ and $LiGaO_2$, S. Kück and S. Hartung 240 (1999) 387

Frenkel exciton scattering at microcrystallite surfaces caused by electric dipoles and monopoles, M. Takeshima and A.H. Matsui 240 (1999) 413

Nonlinear responses (incl. optical)

Nonlinear absorption and refraction in porphyrazine derivatives, C.Y. Tsai, S.P. Chen and T.C. Wen 240 (1999) 191

Modeling nonlinear optical properties of inorganic complexes. Counterion effects, T.R. Cundari, H.A. Kurtz and T. Zhou 240 (1999) 205

Reactions (incl. dissociation)

On the nonequilibrium effects in thermally activated reactions $A + A \rightleftharpoons B + B \rightleftharpoons C + C$, J. Gorecki and J.N. Gorecka 240 (1999) 215

Contributions to the spectroscopic–kinetic analysis of linear reaction systems. Systems with three linearly independent reactions using the concept of parallel projection, J. Polster 240 (1999) 331

-condensed phase

Diatomics-in-molecules applied to solid hydrogen doped with $O(^1D_g)$, P.J. Kuntz 240 (1999) 19

Effect of solvent fluctuations on proton transfer dynamics: a hybrid AM1/MM molecular dynamics simulation on the $[H_3N–H–NH_3]^+$ system, G.-S. Li, M.T.C. Martins Costa, C. Millot and M.F. Ruiz-López 240 (1999) 93

Tunneling

Laser driven hydrogen tunneling in a dissipative environment, H. Naundorf, K. Sundermann and O. Kühn 240 (1999) 163

Electron transfer

Ab initio study of the amino group twisting and wagging reaction paths in the intramolecular charge transfer of 4-(N,N-dimethylamino)benzonitrile, W. Sudholt, A.L. Sobolewski and W. Domcke 240 (1999) 9

High-order double exchange in mixed-valence [Fe(III)Fe(II)] cluster, M.I. Belinsky 240 (1999) 303

Proton and hydrogen atom transfer

Infrared absorption and Raman scattering of (*Z*)-3-hydroxypropenal. A density functional theoretical study, J. Spanget-Larsen 240 (1999) 51

L-Alanyl-L-alanine in the zwitterionic state: structures determined in the presence of explicit water molecules and with continuum models using density functional theory, M. Knapp-Mohammady, K.J. Jalkanen, F. Nardi, R.C. Wade and S. Suhai 240 (1999) 63
Effect of solvent fluctuations on proton transfer dynamics: a hybrid AM1/MM molecular dynamics simulation on the $[H_3N{-}H{-}NH_3]^+$ system, G.-S. Li, M.T.C. Martins Costa, C. Millot and M.F. Ruiz-López 240 (1999) 93
Laser driven hydrogen tunneling in a dissipative environment, H. Naundorf, K. Sundermann and O. Kühn 240 (1999) 163

Molecular motion (incl. diffusive)
A Keilson–Storer type collision kernel for rotation–translation coupling, M.F. Gelin 240 (1999) 265

Structure of solids, liquids and glasses
Paramagnetic susceptibility simulations from crystal field effects on Nd^{3+} in magnesium borate $MgNd(BO_2)_5$, C. Cascales, R. Sáez Puche and P. Porcher 240 (1999) 291

Critical behavior and phase transitions
Cavitation contribution to the free energy of solvation. Comparison of different formalisms in the context of MST calculations, C. Colominas, F.J. Luque, J. Teixidó and M. Orozco 240 (1999) 253
Electric field effect on the upper critical solution temperature, K. Orzechowski 240 (1999) 275